



Vesta Slim 010611D

LCD digital 6 levels GN 1/1 + 600x400 COMBI slim oven




### Product Description:

- LCD 2,4 inch 320x240 pixel color display
- COMBI oven for cooking with variable steam, convection heat, or a combination of them for roasting, steaming, baking and oven frying.
- Product core temperature probe for roasting and baking, overcooking safe.

### Features:

- 6 trays GN 1/1 + 600x400 capacity with distance of 80mm between levels for better air circulation.
- AISI 304 stainless steel internal structure with rounded corners for better cleaning meeting HACCP regulation.
- Double glazed door with hinged low emission glass inside for easy cleaning.
- Possibility to have door opening from the right or left
- Energy saving LED light on door.
- Multilingual panel commands.
- 99 programs 3 steps + preheating.
- USB port for managing recipes and images.
- Wi fi connectivity to personal devices for recipes management.
- Free access to cloud platform.
- Single point core probe.
- 5 level fan control on 2 reverse motors.
- Innovative fan design for increasing cooking performances and energy saving.
- Automatic cleaning system with two level of cleaning + rinse (optional)
- Quick cooling system
- Quick start for 6 preset recipes.



Via Leonardo Da Vinci, 87  
35010 San Giorgio in Bosco (Pd) – Italy

**Contact info:**

[info@vestaitalia.it](mailto:info@vestaitalia.it)  
[www.vestaitalia.it](http://www.vestaitalia.it)




Phone: +39 049 945 0024



Vesta Slim 0I0611D

LCD digital 6 levels GN 1/1 + 600x400 COMBI slim oven

**Specification:**



**Electrical Specification:**

Model	Voltage	Hertz	Power	Cable
0Y0611D	3N-380/400 V	50-60 Hz	9,2 Kw	1,5 mt cable

**Water Requirements:**

Vesta Srl always suggest to install a water softener to preserve the functionality of all the oven components exposed to water (ie steam generator, solenoid valves, automatic cleaning system).

- WATER INLET: 3/4"
- WATER PRESSURE: 2-4 BARS
- WATER DRAIN: 32mm hot water resistant.



Via Leonardo Da Vinci, 87  
35010 San Giorgio in Bosco (Pd) – Italy

**Contact info:**  
[info@vestaitalia.it](mailto:info@vestaitalia.it)  
[www.vestaitalia.it](http://www.vestaitalia.it)

Phone: +39 049 945 0024



Vesta Slim 0I0611D

LCD digital 6 levels GN 1/1 + 600x400 COMBI slim oven

### **Technical Features:**

- Maximum Capacity: 6 wire shelves or sheet pans GN 1/1 + 600x400
- Distance between trays: 80mm
- Oven Size: Width: 609mm  
Depth: 894mm  
Height: 770mm
- Net Weight: 90Kgs.
- Gross Weight/Shipping: 100Kgs.
- Electrical specifications: 3N 380-400V / 9,2 kw

### **Operational Features:**



- Convection mode: from 30°C – 240°C.
- Steaming: 100% steam at 30°C – 120°C.
- Combi: 5 – 100% steam at 30°C – 160°C.
- Single point core probe.
- Automatic preheating step.
- Cookbook with 99 / 3 steps recipes + preheating.
- Cooling down program.
- Speed fan control: 5 levels of speed fan.
- Automatic cleaning system (2 levels of cleaning + rinse) with liquid detergent (optional)
- USB port for managing recipes and images.
- Wi fi connectivity to personal devices for recipes management.
- Free access to cloud platform.

### **Product Capacity:**

Product Maximum: 15 Kgs equivalent to 50 meals

### **Optional:**

- Instant steam generator.
- Automatic cleaning system
- Shower kit.
- 6Kw heating elements
- 2,8kw heating elements (1N/230V)

**DUE TO ONGOING PRODUCT IMPROVEMENT, SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE**



Via Leonardo Da Vinci, 87  
35010 San Giorgio in Bosco (Pd) – Italy

**Contact info:**  
[info@vestaitalia.it](mailto:info@vestaitalia.it)  
[www.vestaitalia.it](http://www.vestaitalia.it)

Phone:: +39 049 945 0024